



Volvo XC60

2.0 T5 AWD Inscription

€ 22.750,- 2017 201.208 KM



Kenmerken

Merk	Volvo	Bouwjaar	2017	Tellerstand	201.208 KM
Model	XC60	Kleur	ONYX BLACK (717)	Vermogen	254 PK
Type	2.0 T5 AWD Inscription	Brandstof	Benzine	Cilinderinhoud	1969 CC
Prijs	€ 22.750,-	Transmissie	Automaat	Gewicht:	1714 KG

Overig

12 VOLT OUTLET LUGGAGE 12V Power outlet, Luggage area, AC COMPRESSORS Mechanical A (140cc), Adjustable speed limiter, ADM FOR S-CAR (UNIQUE PNO) Adm. variant for standard car, ADM TRIMLEVEL Administrative for Inscription vehicle, AIRBAG, DRIVER/PASSENGER Airbag, type B, AIR QUALITY SYSTEM Air Quality System, Multifilter, Alarm, ALARM LOGIC Alarm Logic Base, ARMREST, MIDDLE REAR SEAT 2row Centre rear armrest with cupholders and storage, ASSISTANCE SERVICES With Assistance Services, ATTACHM CHILDSEAT FRONT Child seat attachment, AUDIBLE LOCKING FEEDBACK Audible locking feedback disabled, AUTOMATIC LOCKING BY SPEED Automatic Locking by speed enabled, default ON, AUTONOMOUS DRIVE KIT No Autonomous Drive Kit, AUTONOMOUS VEHICLE No Autonomous Vehicle, BASE COLOUR INTERIOR Charcoal base colour interior, BATTERY H7 AGM 80Ah 800 CCA, BLIND SPOT INFORMATION SYSTEM Blind spot Information System with CTA, BRAKE PADS Standard pad, BUMPERS/SILL MOULDING Painted bumper, CABLE HARNESS ENGINE Extra variant, Car/gearbox/driveline v426 auto 4wd, Car/steering/seat extra variant, CARPET X-variant, CATALYST TYPE Catalyst Petrol 6b, CEM High spec CEM, CENTER STACK DISPLAY 9 inch 3.0 // CSD 3.0, CENTRAL LOCK, TYPE Blocked lock mode (BLL), CENTRAL LOCK SWITCHES Central lock switches in both front doors, CHASSIS TYPE Chassis DYNAMIC, CHILD SEAT ATTCHM, LABEL REAR Isofix label, B, CHILD SEATS, REAR SEATS, 2row No child seat, Chrome strip bumper chrome stripe at reflex, rear bumper, CLIMATE CONTROL UNIT Electronic Climate Control, 4 zone, COLLISION MITIG. & WARN. REAR With Rear Collision Warning and Mitigation, COLLISION MITIGATION SUPPORT With Collision Mitigation Support Front, ver.1, COLOURED PROTECTION CARPETS Charcoal carpet kit, X-variant, Colour matching, exterior, Colour matching, exterior, COLOUR MATCHING, INTERIOR Colour matching interior, COLOURS,INT/EXT Onyx Black, COMBINED INSTRUMENT Drivers Information Module with 12.3 inch screen, COMFORT MODULE, SIDEPANEL No comfort module, sidepanel luggage area, COMMON 42 V526/V426, COMMON MATERIAL Common material - all type 42 cars, COMMON MATERIAL SEAT NUMBER 4, 5, 6 and 7 seats, COMMON MATERIAL SEAT NUMBER 5 and 7 seats, CONNECTIVITY With Connectivity, CRUISE CONTROL

Adaptive Cruise Control, CSB - IF CONNECTIVITY Connected Service Booking, CUSHION EXTENSION, DRIVER Cushion extension mechanical, driver, CUSHION EXTENSION, PASSENGER Cushion extension mechanical, passenger, CUTOFF SWITCH PASSENGER AIRBAG Cut-Off Switch Passenger AirBag, DECAL TRIMLEVEL INSCRIPTION trimlevel 3 decal, DECO LEVEL INTERIOR Deco level 3, DECOR SIDE WINDOWS Bright decor side windows, DEFAULT RIDE HEIGHT Default ride height without air suspension, DEVICE MIRRORING Device mirroring, Carplay & AndroidAuto, DIAGNOSIS SYSTEM EOBD, Digital owners manual, DIVERGENT COLOUR HEADLINING 'Black' colour on headlining/ceiling, DOOR MOULDING LOWER Painted door moulding lower, with chrome 'Inscription', DOOR PANEL, FRONT DOORS Door panel front door, DOORS 5 door, DRIVE MODE With drive mode switch, DRIVERS SEAT Power adjustable drivers seat with memory, ELECTRIC FUEL LID OPENING With electric fuel lid opening, ELECTRIC VEHICLE INLET No Electric Vehicle Inlet, EMBLEM, SALES VERSION LEVEL Inscription emblem tailgate, EMERGENCY BRAKE LIGHT EBL, Flashing Brake Light and Hazard Warning, EMISSION EVAPORATOR SYSTEM Elect. adj. evap system, EMISSIONS VERSION Emissions version, Euro6, EMISSION VERSION 2 VEA gen 2, Euro 6b, END STOP LENGTH Length 2, END STOP MATERIAL End stop in plastic, END STOP QUANTITY, DRIVER SEAT Endstop driver seat, 1psc, END STOP QUANTITY, PASSENGER Endstop passenger seat, 1psc, ENGINE/GENERATION B4204T23 GEN 2, ENGINE EMBLEM Emblem 'TS', ENGINE FAMILY 2 VEP4 Engines, ENGINE FAMILY 4 MP/HP, ENGINE GENERATION VEA2 VEA generation 2, ENGINE GENERATION VEA VEP4 generation 2, ENGINE OPTIMIZATION AFTERMARKE Standard calibration engine, ENGINE VEP4 MP 2.0L 254/350, ENVIROMENT CLASS No ECO, Err seat belts with electrical reversible retractors, Exterior code onyx black, EXTERIOR PAINT,TYPE Metallic, EXTRA EMBLEM AWD emblem tailgate, Fender sealing, FIRST AID KIT Aidkit type 1, FOGLIGHTS IN SPOILER Foglight, FOIL, EXTERIOR No foil, Foot movement detection module, FREQUENCY - REMOTE CONTROLS Frequency 434 MHZ, FREQUENCY BAND & STEP,RADIO Frequency band and step for EU, FRONT AXLE WEIGHT, only CC Front Axle Weight, FRONT MESH Standard mesh front, FRONT SEAT, LEFT HAND SIDE LH Seat, extra variant, FRONT SEAT, RIGHT HAND SIDE RH Seat, Extra variant, FRONT SEATS, LH Extra variant, FRONT SEATS, RH Extra variant, Front shock absorber front shock absorber 2, FRONT SPRINGS-(weight) Extra variant, FUEL ECONOMY LABEL NO FUEL ECONOMY LABEL, FUEL Petrol, FUEL PUMP/FILTER Petrol Fuel pump with internal filter, FUEL TANK, VOLUME Volume 60 Litre, GEARBOX,TYPE Automatic gearbox, GEARBOX/DRIVELINE 8-speed automatic, 2WD and 4WD, GEARBOX AWF22AWD, Automatic 8-speed AWD, GEARLEVER,TYPE/KNOB Gearlever knob, Leather with unideco, Gearshift indicator, GLOBAL NAVIGATION SAT SYSTEM With Global Navigation Satellite System, GRILL TYPE Inscription grill, GROSS WEIGHT, C1 2470 kg, HANDLE DOORS Handle side door body color, with damper, keyless and illumination, HATCH/RAILS Extra variant HATCH/RAILS, HEADLIGHT CLEANING With headlight cleaning, HEADLIGHTS,SYMMETRY R asymmetric, HEADLIGHTS, TYPE LED With Bending Light, type B, Top Range with HCM, HEADLINING MATERIAL Standard material in headlining, HEADRESTS 2:nd ROW, FOLDING EI folding rear headrests, HEADRESTS FRONT 2 way headrests Front, manual, Heated front seats, Heated rear seat, Heated steering wheel, HEATED WINDSCREEN No Heated Frontscreen, HEATER TYPE FOH, Fuel Operated Heater,with timer, Hill Descent Control, Hill start assist, HORN Horn, std., HVAC FLOOR SENSORS Floor sensors in HVAC, IF INSCRIPTION: LOGO HEAD REST Inscription logo on headrest upholstery, IHU LEVEL IHU high, INCLINATION SENSOR With inclination sensor, INFOTAINMENT HEAD UNIT Extra variant, Instructions owners manual english, with warranty booklet, INSTRUMENT CLUSTER CALIBR. Parameter file for EUROPE, INSULATED AIR DUCT B-PILLAR No insulated air duct in B-pillar, INSULATION CARPETS High spec NVH-carpets, INTERIOR CODE Charcoal interior/LeaA/Charcoal seat/Comfort, Interior decor panels decor 'wood' / 'drift wood', INTERIOR ILLUMINATION Interior lightning high version, INTERIOR MOTION SENSOR With interior motion sensor, IR REFLECTIVE GLASS WINDSCREEN Standard Windscreen Glass, KEY FOB Key fob Inscription, KEYLESS ENTRY Passive entry, incl. remote tag, KNEE AIRBAG Knee airbag driver side, LAMBDA SENSORS 2 Lambda probes, LAMINATED WINDOWS Tempered glass, side & rear windows, Lane Keeping Aid, LANGUAGE REGION Language Region for Europe, LEATHER/DRESSED INTERIOR PARTS Dressed interior parts, LEATHER/VINYL CARE KIT No leather care kit, Leather ip x-variant, LEVELLING SENSOR CONFIGURATION VDDM, Front Right, Rear Right, LOADCOVER Load cover, manual / semi automatic, Lockable wheelbolts, Lock cylinder glovebox, LUGGAGE NET, TEXTILE Luggage net, backrest, LUMBAR SUPPORT 4 way lumbar support, MAIN MARKET Europe and Overseas markets, MAKEUP LAMP SUNVISOR 2 illuminated sun visors, MARKET PLATES/LABELS Decals for outside Turkey, MARKET PLATES/LABELS Decals outside Arabia, MARKET PLATES/LABELS Decals outside Brazil, MARKET PLATES/LABELS Decals outside China, MARKET PLATES/LABELS Decals outside India, MARKET PLATES/LABELS Decals outside Japan, MARKET PLATES/LABELS Decals outside Japan/China, MARKET PLATES/LABELS Decals outside Japan/China/Korea, MARKET PLATES/LABELS Decals outside Latin America/Mexico/Russia, MARKET PLATES/LABELS Decals outside Russia, MARKET PLATES/LABELS Labels for Europe, MARKET PLATES/LABELS Labels outside Australia, MARKET PLATES/LABELS Labels outside Canada, MARKET PLATES/LABELS Labels outside CANADA/ MID EU, MARKET PLATES/LABELS Labels outside Korea, MARKET PLATES/LABELS Labels outside USA, MATERIAL/PADDING Combination variant: Material/Padding, MAX FRONT AXLE WEIGHT, C3 1210 kg, MAX REAR AXLE WEIGHT, C4 1260 kg, MFI FUEL FILLER MisFueling Inhibitor, MODEL EMBLEM XC60 emblem, MUDFLAPS,FRONT Front mudflaps, NAVI MAP REGIONS Map region for Europe, NETPOCKET IN CARGO AREA No netpocket in cargo area, Netpocket on tunnel, NTA-CODE No NTA numbers, NUMBER PLATE ADAPTER FRONT Administrative variant, OCCUPANTS No occupants, OILPAN Oilpan without bulge, OPEN, REAR SIDE DOOR 1 pull to open Rear side door, from locked, OUTER REAR VIEW MIRRORS Outer rear view mirror package, PAC CALIBRATION PAC calibration standard, PANIC FUNCTION Panic function with light & sound, PARKING ASSISTANCE Parking assistance, front and rear, Parking camera parking camera 360, PARKING CLIMATE LEVEL, OPTION No parking climate option, PARKING CLIMATE LEVEL Heating parking climate, PARKING TICKET HOLDER With Ticket holder, PASSENGERS SEAT Power adjustable passengers seat, PEDAL ARRANGEMENT Pedal standard, PHONE AS KEY No phonekey, PINCH PROTECTION LEVEL Standard pinch protection, PLATES/DECALS Labels for MFK10, Post Impact Braking, POWER FOLD & RISE 3:d ROW No fold & rise 3:d row rear seat, POWER OUTLET TUNNEL 230 volt outlet, Europlug CEE 7/16, in rear/lower tunnel consol, POWER RELEASE 2:d ROW Power release fold 2:d row rear seat, OTF, One Touch Fold, POWER STEERING PERSONALISATION With Electro Power Steering Personalisation, PRIVATE LOCKING LUGGAGE COMP. Private locking enabled, PROPULSION TYPE Combustion engine only, PROTECTION CARPETS, row 1 & 2 Carpet kit, textile, RADIO, AMP & SPEAKER SYSTEM High Performance audio, REAR AXLE CABLE HARNESS Extra variant, REAR AXLE WEIGHT, only CC Rear Axle Weight, REAR FOGLIGHT TOWFUNCTION Foglights running even when trailer is connected, Rear shock absorber rear shock absorber g, REAR SPRINGS-(weight) Extra variant, Rear spring seat rear spring seat 3, REAR VIEW MIRROR,TYPE Automatic dimming inner and outer, REAR VIEW MIRROR CAP With colour matched rear view mirror cap, REAR WIEW MIRROR,LH SIDE LH side rear wiew mirror, wide angle, REAR WIEW MIRROR, RH SIDE RH side mirror, wide angle, without text, REAR WIEW MIRRORS,OUTER Retractable Rear View Mirrors, REFRIGERANT 1234YF, REFRIGERANT AGENT QUANTITY Refrigerating agent 650g, REGION IF DVD DVD region 2, REMOTE ENGINE START PRECOND Remote Engine Start Precond from smartphone app, Remote monitoring system rms deactivated, RETRIGG ENABLING - IF ALARM

Retrigger 10 cycles, RIM, INCH 20' Rim, Road friction indication, ROAD SIGN INFORMATION With RSI, ROOF COLOUR INTERIOR Charcoal roof colour interior, ROOF HATCH Openable panorama roof, ROOF RAILS Roof rails integrated aluminium/silver, SAFETY BELT REMINDER Belt minder all seats, EU logic, SAFETY BELT Safety Belt, type B, SCREEN THEMES/SKINS Screen Skins 'Inscription', SCUFF PLATE BOOT Rear scuff plate, metal, SEAL CARRIER No Seal Carrier, SEAT COLOUR INTERIOR Charcoal upholstery colour interior, SEAT PADDING Comfort seat padding, SEATS 5seat, SECONDARY EXTERIOR CODE No secondary exterior code, SELF OPENING BOOTLID/TAILGATE With poweroperated tailgate or bootlid, SERVICE DISTANCE Service distance 30000 km / ~18640 miles, SERVICE ENGINE TIME Service Engine Time, 650 hour, Service solution, SERVICE TIME Service time, 12 months., SHIELDED WIRE, IF POT Shielded wire, Side panel, luggage area side panel 6, luggage area, SILLMOULDING Sillmoulding 'Volvo' metal, SIM CARD FOR CONNECTIVITY only through Personal SIM, SNOW DEFLECTOR With SNOW DEFlector, Spacer leaf spring spacer leaf spring 10, SPARE WHEEL Repair kit, Speech, SPEECH LANGUAGE, NOT USED English, SPEED LIMITATION Speed limit 230 km/h, SRS CALIBRATION SRS Calibration 1, STEER. COLUMN LOCK/KEY WARNING With steering column lock, Key warning disabled, STEERING COLUMN Steering column type B manual adj., STEERING WHEEL POSITION Left Hand Drive, STEERING WHEEL Steering wheel, 3 spoke, leather with unideco inlays, Subwoofer, Sunvisor decal, SUNVISOR ILLUMINATED/DECAL Sunvisor illuminated, kombination variant, SURFACE TREATMENT TYPE GRILL Standard surface treatment grill, SW MAJOR VERSION SW Major 03, SW MINOR VERSION SW Minor 06, SW PATCH VERSION SW Patch 04, SYSTEM LANGUAGE Swedish, TAILPIPE Double Pipes, Integrated, TELEMATIC MODULE With Telematic module, TELEMATIC MODULE With Telematic module, ROW LTE, TELEPHONE NETWORK Telephone system GSM, THEFT PROTECTION CEM With theft protection CEM, THEFT PROTECTION COVER HOOD Theft protection cover front (hood), THEFT PROTECTION COVER With theft protection cover, THERMOSTAT Thermostat MEK, TIMER ADDITIONAL HEATER,FUEL Timer to additional heater, Total weight check Carweight is OK, TOWBAR No towbar, TPMS MENU FUNCTIONS in IHU TPMS, Reset menu, TRAFFIC JAM ASSIST With Traffic Jam Assist 2, TRAFFIC SIGN INFORMATION SWEDEN, TSI without SLA, TRAIN WEIGHT, C2 4870 kg, TRANSMISSION AWD All wheel drive, Trekhaak, TUNNEL BRACE FRONT Tunnel brace A, 'High spec', TURBO CONFIGURATION Medium performance, TYRE, INCH 20' Tyre, TYRE BRAND Michelin V, TYRE CIRCUMFERENCE Rolling circumference 2275mm, TYRE DIMENSION 255/45R20, TYRE DIMENSION FOR LABELS NONE, TYRE PRESSURE HHLF High speed, heavy load, front, 270 kPa, TYRE PRESSURE HHLR High speed, heavy load, rear, 270 kPa, TYRE PRESSURE HLLF High speed, light load, front, 250 kPa, TYRE PRESSURE HLLR High speed, light load, rear, 250 kPa, TYRE PRESSURE LHLF Low speed, heavy load, front, 270 kPa, TYRE PRESSURE LHLR Low speed, heavy load, rear, 270 kPa, TYRE PRESSURE LLLF Low speed, light load, front, 230 kPa, TYRE PRESSURE LLLR Low speed, light load, rear, 230 kPa, TYREPRESSURE MONITORING SYSTEM Indirect TPMS, EU Algorithm, TYRE PRESSURE SPARE WHEEL - The sign '-' to be printed., UNIT SETTINGS Temp:C, Clock:24, Distance:KM, Fuel:Liter/KM, UNLOCK SETTING Two step unlocking enabled, default OFF, Slam locking disabled, UPHOLSTERY MATERIAL Leather Moritz, Upholstery type production upholstery, USB CONNECTION With USB hub, type A, USER EXCEPTIONS Only for Volvo Cars Torslanda, USER PACKAGES User package, VEHICLE INSPECTION NUMBER YV1, VEHICLE TYPE V426 XC60, VIBR. DAMPER STEERING WHEEL Vibration damper, version 3, VIDEO ALLOWED Speed dependent, VISIBLE LOCKING/UNLOCKING Visible locking and unlocking feedback, default ON, Warning Triangle, WHEEL A 20' 8.0x20x52.5 20'designK, WHEEL BRAKES TYPE FRONT Brake discs 18' FN+, WHEEL BRAKES TYPE REAR Rear brake 17' 320x20 GG, WHEEL NUT PROTECTION CAP Chromed plastic protection cap, WINDSCREEN WIPER Aquablades, heated, WORKSHOP WIFI With workshop wifi, WVTA-NUMBER E4*2007/46*1220*00, YEAR DESIGNATION LETTER Year des J = model year 2018

Opmerkingen

EU verantwoordelijke: Volvo Nederland B.V. Postbus 16 4153 ZG Beesd, NL 0345-688888 contact.vcnl@volvocars.com

Vind uw droomauto bij Kopper Automotive!

Bij Kopper Automotive geloven we in eerlijkheid, transparantie en passie voor auto's. Al onze occasions zijn met zorg geselecteerd en voorzien van een Nationale Auto Pas (NAP), zodat u altijd verzekerd bent van een eerlijke kilometerhistorie.

Optionele BOVAG aflevering.

Wilt u uw nieuwe auto extra compleet geleverd krijgen? Kies dan voor het BOVAG Afleverpakket, waarmee u profiteert van een uitgebreidere aflevering en 12 maanden BOVAG Garantie. Vraag ons gerust naar de mogelijkheden die bij uw droomauto passen.

Uw auto inruilen?

Wij maken het u graag gemakkelijk! Ruil uw huidige auto zorgeloos in. Wilt u eerst een indicatie van de inruilwaarde? Stuur ons wat duidelijke foto's en informatie over uw auto, en wij zorgen voor een passend voorstel.

Plan uw afspraak en laat u verrassen!

Om teleurstellingen te voorkomen, raden wij aan om vooraf een afspraak in te plannen. Zo weet u zeker dat wij alle tijd voor u hebben. Een afspraak plannen kan telefonisch of per e-mail.

Meer weten? Bezoek onze website: www.kopperautomotive.nl

Let op: Ondanks onze zorgvuldigheid kunnen aan eventuele fouten in deze advertentie geen rechten worden ontleend.

Uw nieuwe auto wacht op u - wij kijken ernaar uit om u te ontmoeten!

Om teleurstellingen te voorkomen raden wij aan voor uw komst een afspraak te plannen.

Het plannen van een afspraak kan telefonisch of per mail.